



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/824,531	04/13/2004	Lenny Sands	04-13237	6523
25189	7590	03/24/2006	EXAMINER	
CISLO & THOMAS, LLP 233 WILSHIRE BLVD SUITE 900 SANTA MONICA, CA 90401-1211			COOLEY, CHARLES E	
			ART UNIT	PAPER NUMBER
			1723	

DATE MAILED: 03/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/824,531

Applicant(s)

SANDS, LENNY

Examiner

Charles E. Cooley

Art Unit

1723

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 January 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 and 14-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-6 and 14-18 is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 April 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____.

OFFICE ACTION

Drawings

1. The replacement sheets of drawings (Figures 7-10 only) were received on 17 JAN 2006. These drawings are approved but note the following drawing objections repeated from the last office action.
2. The drawings remain objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the ridges recited in claims 5 and 18 must be shown/labeled. No new matter should be entered. It appears the interior ridges are shown in Figs. 11, 12, and 14 (see the axially extending projections on the internal wall of the containers in Figs. 11, 12, and 14) but such ridges are not labeled or described in the specification with regard to these Figures (that constitute the new CIP subject matter).
3. Applicant should verify that (1) all reference characters in the drawings are described in the detailed description portion of the specification and (2) all reference characters mentioned in the specification are included in the appropriate drawing Figure(s) as required by 37 CFR 1.84(p)(5).

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" (37 CFR 1.121(d)) and include all of the figures

Art Unit: 1723

appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings **MUST** be filed within the **THREE MONTH** shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may **NOT** be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Specification

4. The disclosure is objected to because of the following informalities:

a. Page 13, line 7: it appears --at 1400-- should be added after "tapered" -

all reference characters in the drawings must be described in the specification as noted in section (3) above.

Appropriate correction is required.

Art Unit: 1723

5. The substitute Abstract of the Disclosure is objected to because:
- a. it was not provided on a separate sheet. It is otherwise acceptable.

Correction is required. See MPEP § 608.01(b) and 37 CFR 1.121 below.

**REVISED AMENDMENT PRACTICE: 37 CFR 1.121 CHANGED
COMPLIANCE IS MANDATORY - Effective Date: July 30, 2003**

REVISED AMENDMENT PRACTICE

I. Begin each section of an amendment document on a separate sheet:

Each section of an amendment document (e.g., Specification Amendments, Claim Amendments, Drawing Amendments, and Remarks) must begin on a separate sheet. Starting each separate section on a new page will facilitate the process of separately indexing and scanning each section of an amendment document for placement in an image file wrapper.

B) Amendments to the specification:

Amendments to the specification, including the abstract, must be made by presenting a replacement paragraph or section or abstract marked up to show changes made relative to the immediate prior version. An accompanying clean version is not required and should not be presented. Newly added paragraphs or sections, including a new abstract (instead of a replacement abstract), must not be underlined. A replacement or new abstract must be submitted on a separate sheet, 37 CFR 1.72. If a substitute specification is being submitted to incorporate extensive amendments, both a clean version (which will be entered) and a marked up version must be submitted as per 37 CFR 1.125.

6. The title is acceptable.
7. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required:
- a. the subject matter of claims 5 and 18 lacks positive antecedent basis in the written specification with regard to Figures 11-14. A description of the ridges should be added to the description of Figs. 11, 12, and 14 on pages 11-13 of the specification.

Allowable Subject Matter

8. Claims 1-6 and 14-18 are allowable over the prior art of record.

Conclusion

9. This application is in condition for allowance except for the formal matters outlined above.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri. All official facsimiles should be transmitted to the centralized fax receiving number 571-273-8300.

11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read "Charles" followed by a stylized flourish.

Charles E. Cooley
Primary Examiner
Art Unit 1723

17 March 2006